



FINISHING TOUCHES IS FOR EVERYONE.

OUR CONSTANT INNOVATION HAS PLACED US IN OVER 5 MILLION HOMES.

As a partner to over 500 DIY and décor retailers, we are the leader in innovative and affordable window décor solutions which we manufacture, distribute and market in South Africa and neighboring countries. We provide your business with extensive product ranges for everyone's design tastes and our catalogue extends from elegant shutters, blinds, exquisite headboards, cornicing and skirting through to steadfast curtain rails and heavy-duty curtain rail systems.



DECORATIVE POLES AND ACCESSORIES

RIGHT ON THE EDGE

All of our DIY ranges can be cut to size.

Scan here to view full range.











22mm CHARIOT POLE RANGE

28mm CHROME RANGE

32mm ELEMENT RANGE







22 mm GOTHIC SINGLE POLE RANGE

28 mm SINGLE POLE RANGE

28mm WROUGHT IRON DOUBLE POLE RANGE







16mm BRASS RANGE 19mm CHROME RANGE 25mm POLETRACK



25mm POLETRACK:

The set is made up of a quality black 25mm metal pole in the front and a single black C track at the back. The brackets have been developed to be strong enough to support light to medium weight curtains. The bracket length has also been made with enough distance between the track and the pole to allow for eyelet curtains to be used. Finials on the curtain pole are a simple yet stylish plastic ball finial which will not date over time.

The set is available in 1.5, 2m and 2.5m lengths. It includes the pole, track, brackets, and finials in a convenient pick up and go packaging.







28 mm GYPSEY RANGE 34 mm DESIGNER RANGE 34 mm CLASSIC RANGE

28mm **SINGLE** POLE SET








Designer Ring



Includes: 1x Pole, 2x Finials and Wall Brackets Sizes available: 1.5m, 2m, 2.5m, 3m



28mm **DOUBLE POLE SETS**



Size available: 1.5m, 2m, 2.5m, 3m Includes: 2x Poles, 2x End Caps and Wall Brackets * Finials sold separately



32mm **ELEMENT** RANGE





GOTHIC POLE SETS

Ball Finial - Pewter



Ball Finial - Bronze



Ball Finial - Black



Includes: 1x Pole

Sizes available: 1.5m, 2m, 2.5m, 3m

 * Matching finials, brackets and rings available



22mm CHARIOT POLE SETS



End Cap - Copper

Sizes available: 1.5m, 2.5m, 3m, 3.5m

 * Matching tiebacks, rings and brackets available




DESIGNER RANGE

Ball Finial - Auburn

Ball Finial - Seamist

End Cap - Coffee Bean

Sizes available: 1.5m, 2m, 2.5m, 3m



CLASSIC RANGE

Ball Finial - White



Ball Finial - Dark Stain



Classic Finial - Natural







DECORATIVE RANGES WITH CURTAIN RAILS

NATURAL BEAUTY AND STRENGTH

All of our DIY ranges can be cut to size.

Scan here to view full range.







33 mm HALF ROUND PELMET POLE RANGE

40 mm PELMET POLE RANGE








63 mm HALF ROUND PELMET POLE RANGE


64 mm PELMET POLE RANGE

105 mm PELMET POLE RANGE



33mm **HALF ROUND** RANGES





40mm **PELMET POLES**ROD AND TRACK





64mm PELMET POLES ROD AND TRACK





63mm **CLASSIC**POLE SETS ROD AND TRACK





PELMET POLES ROD AND TRACK





READY-MADE BLINDS

ULTIMATE VERSATILITY








www. finishing touches sa. co. za



25MM ALUMINIUM VENETIAN BLINDS



Timeless, easy care aluminium blinds are available in six trendy colours and a variety of sizes (width x drop, mm).

											" New sizes available							
	470× 900	600x 1000		900x 1600	960x 1600	960x 900	1000× 1000	1200× 1600	1500× 1000	1500× 1600		1600x 2200	2000× 1600	2000× 2400	2400× 1600			
Bronze	0	•	•	•		•	•	•	•	•	•	•	•	•	•			
Onyx	0	•	•	•	•		•	•	•	•	•							
Silver	•	•	•	•	•	0	•	•	•	•	•	•	•	•	•			
White		0	•	•	•	0	•	•	0	•	•	•	•	•	•			
Champagne	•	•		•	•	•	•	•	•		•	•	•	•	•			



Don't forget your handy **BLIND CLEANER!**


25MM PVC BLINDS



Timeless, easy care PVC blinds are available in three trendy colours and in the sizes in the table below:

	470x 900	600x 1000	1000x 1000	1200x 1600	1500x 1600
Dark Grey	•	•	•	•	•
White	•	•	•	•	•
Champagne	•	•	•	•	•





MADE-TO -MEASURE BLINDS

CHECK YOUR BLIND SPOT

FINISHING TOUCHES DELIVERS
A FULL MADE TO MEASURE SERVICE
AND INSTALLATIONS.

Scan here for more information












ALUMINIUM VENETIAN BLINDS

WOODEN VENETIAN BLINDS

VERTICAL BLINDS







ROLLER BLINDS

DAY AND NIGHT BLINDS

BAMBOO BLINDS







ANTIQUE WOOD BASSWOOD ECO-WOOD







BLOCKOUT ROLLER BLINDS

PLASSWOOD

FAUXWOOD




STEEL AND ALUMINIUM CURTAIN RAILS

KEEP IT ON TRACK

Scan here for more information












SUPERLINE DOUBLE ALUMINIUM TRACK

RAIDER DOUBLE ALUMINIUM TRACK

RAIDER SINGLE ALUMINIUM TRACK







DOUBLE OR SINGLE CLIPPA PLASTIC BRACKETS

DOUBLE OR SINGLE BLACK TRACK

CONTRACTOR DOUBLE OR SINGLE TRACK



MADE-TO -MEASURE RODS & RAILS

CUSTOMISED TO YOUR SPECIFICATIONS

FINISHING TOUCHES DELIVERS
A FULL MADE TO MEASURE SERVICE
AND INSTALLATIONS.

Scan here for more information











RIJKO HOSPITAL CURTAIN TRACK

GOELST MOTORISED TRACK

WAVE TRACK





SUPERLINE TRACK WITH A PULLY SYSTEM

RACER TRACK 90 DEGREE BEND OUTSIDE



DESIGNER HEADBOARDS

JUST FOR YOU

MADE TO MEASURE AND READY MADE DESIGNER HEADBOARDS

Scan here for different designs and fabric.






DESIGNER READY MADE AND MADE TO MEASURE HEADBOARDS

Finishing Touches offers a choice of six exciting designs, and a variety of exquisite fabric options. Simply give us the size... and leave the rest to us!

Different styles and material available!



Fashion is what you buy. *Style is what you do with it.*





(PLUS NATURAL) Available in two sizes: 12x70x2700mm

12x100x2700mm

SKIRTINGS

These high quality, embossed wrapped skirtings are ideal for any home, or office, because they are water and scratch resistant.

APPLICATION GUIDE:

SELF-ADHESIVE SKIRTINGS

TESA TAPE

- The workplace must be free of dirt, dust, grease, oil, moisture and other contaminants.
- The wall (surface) must be cleaned free of dirt and dry.
- The recommended application temperature is between 15° C and 35° C
- Remove the liner from the skirting board (panel).
- Line up or carefully position the skirting board (panel).
- Position the skirting board onto the wall.
- Apply sufficient pressure using a tool across the face of the panel.

NON SELF-ADHESIVE SKIRTINGS

- The workplace must be free of dirt, dust, grease, oil, moisture and other contaminants.
- The wall (surface) must be cleaned free of dirt and dry.
- \bullet $\;$ The recommended application temperature is between 15 $^{\circ}\text{C}$ and 35 $^{\circ}\text{C}$
- Remove the liner from the skirting board (panel).
- Line up or carefully position the skirting board (panel).
- Position the skirting board onto the wall.
- Apply sufficient pressure. A good tip: Use a rubber mallet or the side of your fist to ensure correct pressure. (This is extremely important for good adhesion.)



EBONY



GREY WASHED OAK



- Use "No More Nails" or similar product
- No more glue required
- Just cut peel and stick
- Hi tech industrial double sided tape

CUTTING:

• If using "Hand Saw" paper coating must face upwards.

ADDITIONAL INFORMATION


 IF USING ELECTRIC MACHINE, SKILL SAW OR JIG SAW PAPER MUST FACE DOWNWARDS.

CLEANING:

• Use a damp cloth.

COATING:

• 3D Water resistant paper wrap.







ROUGH SAWN ALABASTER OAK WHITE





DESIGNER SHUTTERS

CHOICE MATERIALS

ALUMINIUM SECURITY

- \bullet Resistant to all the elements like moisture, heat and steam
- A versatile yet elegant solution for your home.
- Vertical locking mechanisms for added security.
- Available in security and non-security.
- An excellent way of adding value to your home.

WOODEN SHUTTERS

- Manufactured to the highest quality and standards from Phoenix Wood, a solid wood, light in weight and colour while offering strength to our product.
- Has a natural resistance to wood borer and adapts to a range of temperatures.
- Provides natural repulsion to insects due to its silica content.
- For internal use only.

VINYL

- Weather resistant. Suitable for exterior and interior solutions.
- Being plastic based, these shutters are easy to clean and are less likely to get mould or decay.
- Lightweight and easy to install.

HINGED


• This application is used mainly on windows or single doors.

BI-FOLD

• This application is suitable for large windows and doorways.

BI-PASS

 \bullet This application is used where space does not allow for panels to open outward.











handy hints

& INSTRUCTIONS FOR MEASURING WINDOWS FOR BLINDS, RODS AND TIE BACKS

The secret to creating the perfect window setting is in the measurements.

The guides will assist you to correctly measure your windows for blinds, curtains, rods and tie backs.

MEASURING FOR RODS & TIE BACKS

RODS

Measure the inside width of the window.


Rods should extend 10-20cm beyond the window on each side. Measure the height according to your existing or new curtain height.

TIE BACKS

Tie backs should be installed approximately 1 metre from the floor.

FINIALS

Ensure there is space for your chosen finial at either end of the rod. If space is limited, consider an end cap finial.



remember!

- Always use a metal tape measure as plastic and cloth tapes may stretch
- 2 Please supply your measurements to us in millimetres
- 3 Even 5mm can make the difference between a good fit and a bad one!

MEASURING FOR BLINDS

INSIDE MEASUREMENT

Check that nothing is protruding into recess area where the blind will hang (i.e. burglar bars)


- 1 Inside reveal width (take x 3 times: top, middle, bottom: use smallest size)
- 2 Inside reveal drop (take x 3 times: left, middle, right: use smallest size)

OUTSIDE MEASUREMENT

- 3 We recommend 10cm overlap on each side of the window
- 4 We recommend 10cm overlap on the top of the width of the window

Cut-out blinds

- 5 Measure the width between the tiles
- 6 Measure the drop of the tile itself
- 7 Measure the width of the tile itself





Physical Address: Ergon Factory Park, Ergon Street, Lyttleton Manor, Pretoria, South Africa, 0157

Tel: +27 12 664 4825 | Email: info@finishingtouchessa.co.za | Website: www.finishingtouchessa.co.za